

FIG. 1




FIG. 2




FIG. 3





FIG. 4










FIG. 6A




FIG. 6B




FIG. 6C





FIG. 6D








FIG. 8




FIG. 9




FIG. 10A




FIG. 10B




FIG. 10C




FIG. 11A




FIG. 11B




FIG. 11C




FIG. 12A




FIG. 12B




FIG. 12C




FIG. 13A




FIG. 13B





FIG. 13C






FIG. 14A




FIG. 14B

FIG. 15




FIG. 16

704	810	820	831	830	832			
	Service type	APL_ID	Access state					
			Access time		Access direction			
840	E_SRV1	0001h	04.3.3,12:24:55					
			07D5h	03h	03h	0Ch	18h	37h
			04.3.3,12:24:56					
841	E_SRV1	0001h	04.3.3,12:24:56					
			07D5h	03h	03h	0Ch	18h	38h
			04.3.3,12:24:56					

FIG. 17

1100	1101	1102	1103	1104	1105	1106	1107
b8 : b7	b6 : b5	b4	b3	b2	b1	Indication	Value
Front back verification flag	Front=0 Back=1	Up	Down	Left	Right		
1 0	0 0	0 0	0 0	0 0	0	Front side	80h
		1 0	0 0	0 0	0	Front side up	88h
		0 1	0 0	0 0	0	Front side down	84h
		0 0	1 0	1 0	0	Front side left	82h
		0 0	0 0	1 0	1	Front side right	81h
1 0	0 1	0 0	0 0	0 0	0	Back side	90h
		1 0	0 0	0 0	0	Back side up	98h
		0 1	0 0	0 0	0	Back side down	94h
		0 0	1 0	1 0	0	Back side left	92h
		0 0	0 0	1 0	1	Back side right	91h
0 0	0 0/1	0 0	0 0	0 0	0	side 1/side 2	00h/10h
		1 0	0 0	0 0	0	side 1/side 2 up	08h/18h
		0 1	0 0	0 0	0	side 1/side 2 down	04h/14h
		0 0	1 0	1 0	0	side 1/side 2 left	02h/12h
		0 0	0 0	1 0	1	side 1/side 2 right	01h/11h

1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122

FIG. 18

705	1200	1201	1203	1204	1202	1205
	Service type	APL_ID	Comparison times	Time limit	Access conditions	
		2byte	1byte	1byte	nbyte	
1210	E_SRV1	0001h	02h	04h	80h	94h
1211	E_SRV2	0004h	04h	08h	10h	00h
1212	E_SRV3	2200h	00h	00h	X	X
1213	E_SRV4	0120h	04h	0Ch	82h	91h

1214	E_SRVi	3312h	03h	0Fh	11h	01h

1215	E_SRVn	0912h	02h	09h	01h	12h

FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27

